



An Ontology for State Analysis: Formalizing the Mapping to SysML


**Presentation to IEEE Aerospace Conference
March 2012**

**David Wagner, Nicolas Rouquette, Steve Jenkins, Matthew Bennett, Michel
Ingham [Jet Propulsion Laboratory, California Institute of Technology]
Robert Karban [European Southern Observatory]**

State Analysis




- A principled methodology for designing complex control systems
- Principles from basic control theory and system engineering
 - Separation between control system and plant
 - Modeling effects between system state variables as a precursor to control system design
 - Making intent explicit in the design and implementation
 - Single controller per state variable
 - Single estimator per state variable
 - Controllers use state estimates as inputs—not measurements




Details: <http://mds.jpl.nasa.gov>

State Analysis in SysML




- **Modeling is about more than boxes and lines**
- **How do we verify/enforce domain-specific semantic rules?**
 - E.g., only one estimator allowed for any state variable
- **Can we make it easy enough for system engineers to use effectively?**
 - Reduce clutter and clicks
- **Based on SysML**
 - Becoming widely used in industry
 - Supported by multiple COTS tools
- **Add semantic rigor by defining discipline ontologies (in OWL2) and transforming them automatically to stereotype profiles (in SysML)**
- **JPL Integrated Model-Centric Engineering initiative**
 - Provides model transformation between OWL2 and SysML
 - Provides coordination and tooling support


State Effects




Example in SysML



Model Refinement



Behavior Specification through Goal Networks



What this Enables



- **Domain-specific grammar-aware tooling**
 - Old way: create a block, add stereotype to make it a state variable, create a dependency association to another state variable, add stereotype...
 - New way: create state variable object from menu, tooling automatically knows the only viable relation to another state variable is an <<affects>> relation...
 - Easier, and prevents mistakes
- **Validation of relations not shown in diagrams**
- **Applying stereotyped relations in models allows the model to be analyzed using domain-specific semantics**
- **This work has demonstrated that it is possible to:**
 - define meaningful domain-specific SysML stereotypes using a model transformation from OWL2,
 - apply these stereotypes in a modeling tool, and
 - use them to verify consistency.
- **When complete, the State Analysis ontology and associated SysML profile will enable control system engineers to:**
 - model system behaviors,
 - specify operational intent (plans and sequences), and
 - verify consistency with architectural principles of State Analysis.

Next Steps



- **Formalize relationships with other key domain ontologies:**
 - Mission (work breakdown, components, requirements)
 - Math/Physics (standard physical quantities, units, particularly spatial types)
- **Improve tooling to make it easier to use**
- **Model detailed control system behaviors (control and estimation algorithms)**
- **Export to executable system models, for validation of system behavior**

Acknowledgements



- **Authors:**

- Nicolas Rouquette(JPL), Steven Jenkins(JPL), Robert Karban(ESO), Michel Ingham(JPL), Matthew Bennett(JPL)

- **Supporters:**

- Robert Rasmussen(JPL), Daniel Dvorak(JPL), Seung Chung(JPL)
- Europa study project(JPL), E-ELT Project (ESO)

This research was carried out at the Jet Propulsion Laboratory, California Institute of Technology, under a contract with the National Aeronautics and Space Administration and at the European Southern Observatory.